





REDACTED – FOR PUBLIC INSPECTION Page 26 of 48 http://www.he.net/Hurricane_Electric_Network.gif









@ 2004-2005 by Level 3 Communications, Inc. All rights reserved.



PRODUCTS MAIN


ContentEDGE

MediaEDGE

BackBone Connect

Download Management Tools


NETWORK MAP Network Map




International Delivery - Limelight Networks is integrated with some of the largest international transit providers in the industry and our suite of delivery services takes advantage of major network interconnection locations to insure best delivery routes around the globe. Currently, Limelight Networks has direct access to over 200,000 route miles of international data delivery with carrier¹s that maintain private operations in Asia, South America, North America and Europe.


©2005 Limelight Networks | contact us | acceptable use





CM 10.03.5K







Peering Contacts | SBCIS Exchange Point Peering | SBCIS Public Peering Guidelines | SBCIS Private Peering Guidelines

SBC Internet Services Peering Contact Information

Role Name Telephone Email
General Peering Account Peering Review Team Peering@sbc.com

Maintenance Notification & Network Operations
Outcome Pennetting +1-214-473-2237 peerops@sbc.com

Outage Reporting Center +1-214-473-2237 peerops@sbc.com

Negotiators Ren Provo & Dee Dee McGarry <u>ren@sbc.com</u> and <u>deedee@sbc.com</u>

SBC Internet Services Exchange Point Participation Details

European Exchange Points	ASN	Announcing	Primary IP	Secondary IP	Notes
AMS-IX, Amsterdam, NL	7132	AS-SBCIS-7132	195.69.145.135		TeleCity2
BNIX, Brussels, BE	7132	AS-SBCIS-7132	Pending		Interxion
DE-CIX, Frankfurt, DE	7132	AS-SBCIS-7132	Pending		Interxion
LINX, London, UK	7132	AS-SBCIS-7132	195.66.224.210	195.66.226.210	Telehouse East
ESPANIX, Madrid, ES	7132	AS-SBCIS-7132	Pending		Banesto
PARIX, Paris, FR	7132	AS-SBCIS-7132	Pending		Telehouse Voltaire
United States Exchange Points	ASN	Announcing	Primary IP	Secondary IP	Notes
Equinix, Ashburn, VA	7132	AS-SBCIS-7132	206.223.115.79	206.223.115.89	Bldg. F
Equinix, Newark, NJ	7132	AS-SBCIS-7132	206.223.131.79		
Equinix, Dallas, TX	7132	AS-SBCIS-7132	206.223.118.79		
Equinix, Los Angeles, CA	7132	AS-SBCIS-7132	206.223.123.79		
Equinix, San Jose, CA	7132	AS-SBCIS-7132	206.223.116.79	206.223.116.89	
Equinix, Chicago, IL	7132	AS-SBCIS-7132	206.223.119.79		
S&D PAIX, New York, NY	7132	AS-SBCIS-7132	198.32.118.7		
S&D PAIX, Vienna, VA	7132	AS-SBCIS-7132	198.32.190.18		
S&D PAIX, Atlanta, GA	7132	AS-SBCIS-7132	198.32.182.11		
S&D PAIX, Palo Alto, CA	7132	AS-SBCIS-7132	198.32.176.112	198.32.176.182	
S&D PAIX, Seattle, WA	7132	AS-SBCIS-7132	198.32.134.14		
SIX, Seattle, WA	7132	AS-SBCIS-7132	198.32.180.76		
Nap of the Americas, Miami, FL	7132	AS-SBCIS-7132	198.32.124.82		

SBC Internet Services Peering Guidelines - Public & Private

The guidelines for establishing public peering with SBC Internet Services are as follows:

- 1. For US based ISPs coast-to-coast nationwide OC-48/STM16 (2.4 Gbps) or larger public IP backbone network.
- 2. Presence at three or more geographically dispersed public peering points listed above for domestic ISPs.
- 3. Presence at two or more public peering points listed above for International ISPs.
- 4. A total minimum busy hour traffic exchange of 50 Mbps with SBC Internet's Autonomous System Number will be required.
- 5. Must not have been an IP transit customer of SBC Internet in the past six (6) months.
- Willingness to enter into a Bilateral Interconnection Agreement and Non-Disclosure Agreement with SBC Internet.
- 7. Operation of a 24x7x365 Network Operations Center (NOC) that proactively monitors all peering connections and provides an escalation path to quickly identify and resolve network problems.
- 8. No requirement for a balanced traffic exchange ratio due primarily to the asymmetric nature of current broadband metallic transmission systems such as ADSL and cable modems.
- 9. Joint quarterly capacity planning reviews for interconnection augmentation to accommodate traffic growth and minimize the

- possibility of latency or packet loss between both networks.
- 10. Hot-potato routing is implied (i.e. we will not send or honor MEDs)
- 11. Consistent routes announcements at all public peering points.
- 12. MD5 passwords are required for all sessions.
- 13. Meeting the guidelines above for public peering with SBC Internet is not a guarantee that peering will be established. SBC Internet reserves the right to not grant peering to an applicant based on business reasons.
- 14. Peers who are unable to maintain the minimums listed above will be given 30 days written notice to remedy the situation.
- 15. Periodic review of the policies above to ensure that the criteria and eligibility requirements are consistent with SBC Internet growth and expansion is acknowledged.

The guidelines for establishing private peering with SBC Internet Services are as follows:

- 1. For US based ISPs coast-to-coast nationwide OC-48/STM16 (2.4 Gbps) or larger public IP backbone network.
- 2. Presence at three or more geographically dispersed private peering cities listed above for US based ISPs.
- 3. Presence at two or more geographically dispersed private peering cities listed above for International ISPs.
- 4. A total minimum busy hour traffic exchange of 250 Mbps with SBC Internet's Autonomous System Number will be required.
- 5. Must not have been an IP transit customer of SBC Internet in the past six (6) months.
- 6. Willingness to enter into a Bilateral Interconnection Agreement and Non-Disclosure Agreement with SBC Internet.
- 7. Operation of a 24x7x365 Network Operations Center (NOC) that proactively monitors all peering connections and provides an escalation path to quickly identify and resolve network problems.
- 8. No requirement for a balanced traffic exchange ratio due primarily to the asymmetric nature of current broadband metallic transmission systems such as ADSL and cable modems.
- 9. Joint quarterly capacity planning reviews for interconnection augmentation to accommodate traffic growth and minimize the possibility of latency or packet loss between both networks.
- 10. Consistent routes announcements at all private peering points.
- 11. Hot-potato routing is implied (i.e. we will not send or honor MEDs)
- 12. MD5 passwords are required for all sessions.
- 13. Meeting the guidelines above for private peering with SBC Internet is not a guarantee that private peering will be established. We prefer to trial peering at several locations to best establish circuit sizing for privates prior to committing dedicated resources. SBC Internet reserves the right to not grant peering to an applicant based on business reasons.
- 14. Both companies shall agree to sustain an equal financial burden for the costs of private interconnection via local facilities.
- 15. Peers who are unable to maintain the minimums listed above will be given 30 days written notice to remedy the situation.
- 16. Periodic review of the policies above to ensure that the criteria and eligibility requirements are consistent with SBC Internet growth and expansion is acknowledged.


Last Modified: 04/05/2005 11:06:00 Last Modified: March, 10th 2005 12:020

Copyright © 2002 SBC Internet Services. All rights reserved.

Verizon Response - Exhibit 15.D Canada OEdmonton Sprint IP Service Presence O IP Point of Presence Multiple IP Points of Presence O Salem CEugene **United States** ow where Sprint has two or more routers. This map is erely representative of overall US Sprint POP offering Rancho Cordova Fort Myers O Miami ONassau Bahamas Pearl City Dominican Puerto Vallarta Virgin Islands ○Guadeloupe Martinique El Salvador Nicaragua **Netherlands Antilles** Costa Rica San Jose Panama City Panama Venezuela Colombia REDACTED - FOR PUBLIC IN SPRENTED OF *Sprint*. One Sprint, Many Solutions.



ATM Infrastructure as of February 2005





IP Infrastructure as of February 2005



Market Coverage as of February 2005





US Long Haul Map





About Us

Management Team

Our Networks

TWTC Q&A

TWTC Vision

TWTC Way

Careers

Legal Notices

Our Networks

Connecting Your Business to More Business begins by delivering high speed, secure, and reliable communications over our more than 19,000 miles of fiber networks, to business in 22 states and 44 U.S. markets. We connect to more than 5,000 buildings and pass thousands more, providing us a unique opportunity to meet the growing demand for new data services and to capture increased market share. Our optical networks are fast, powerful, flexible, secure and highly reliable to deliver a comprehensive suite of voice, data, dedicated Internet and integrated communications services to our customers.



General Network Map



CONNECTING YOUR BUSINESS TO MORE BUSINESS



IP Backbone Map





DUE TO DUR CONTINUED SHOWTH, THIS MAP IS SUBJECT TO CHANGE.

Legal Notices | Privacy Policy | Tariffs | Plugins ©2005 Time Warner Telecom. All rights reserved.

U.S./Canada





*Indicates WilTel Communications Network Centers where ATM, frame relay, private line, optical wave, voice and IP services are available

U.S./Canada







*Indicates WiTel Communications Network Centers where ATM, frame relay, private line, optical wave, voice and IP services are available

© 2003 WilTel Communications , LLC. All rights reserved. Rev. 04.03

Complete Network Assets

Network Maps Home: Normal View | Large View

